

Amendment to the Specification

Please delete paragraphs [0147] and [0148] on page 42 and replace with the following replacement paragraphs:

--[0147] The ~~samples~~ sample of Nos. ~~45, 46 and~~ No. 51 in Table 8 ~~[[are]]~~ is a comparative ~~examples~~ example with an excessively ~~thin or thick films~~ film, and the paint films of all the samples easily peeled in the ~~Gap~~, the Erichsen test and the gravel test, and deterioration of corrosion resistance occurred.

[0148] On the other hand, all the samples of No. 4 through No. 5, No. 8 through No. 13, and No. 17 in Table 6, No. 20, No. 24, No. 27 through No. 28, and No. 33 in Table 7, and No. 39 through No. 51 ~~44 and No. 47 through 50~~ in Table 8 satisfy conditions according to the invention. Peeling of the paint film did not occur in the Erichsen test and the gravel test, and high corrosion resistance is generally observed.--

Please delete Table 8 on page 54 and replace with the following replacement table:

Table 8

No.	No. in Table 5	Paint film					Corrosion test results							Remarks
		Cr+3.3Mo	70-2.7x (Cr+3.3Mo)	Zn Content (% by mass)	Zn average particle diameter (μm)	Average dry film thickness (μm)	Erichsen	Cross-shaped cut	Gravel	Gap (plastic)	Gap (back)	Overall Evaluation		
34	9	5.8	54.34	0	-	19.5	1	1	1	1	1	Rejected	Comparative Example	
35	9	5.8	54.34	19.8	2.5	20.0	1	1	1	1	1	Rejected	Comparative Example	
36	9	5.8	54.34	39.8	2.5	20.1	4	4	1	2	2	Rejected	Comparative Example	
37	9	5.8	54.34	60.3	2.5	20.2	5	5	2	4	4	Rejected	Comparative Example	
38	9	5.8	54.34	79.9	2.5	20.3	3	2	1	4	4	Rejected	Comparative Example	
39	7	11.0	40.3	50.0	0.8	19.6	5	5	5	5	5	Accepted	Invention	
40	7	11.0	40.3	50.0	1.2	20.3	5	5	5	5	5	Accepted	Invention	
41	7	11.0	40.3	49.9	2.0	20.0	5	5	5	5	5	Accepted	Invention	
42	7	11.0	40.3	49.6	2.7	20.4	3	5	4	5	5	Accepted	Invention	
43	7	11.0	40.3	49.5	3.2	19.6	3	5	4	5	5	Accepted	Invention	
44	7	11.0	40.3	49.6	4.9	19.8	3	5	3	5	5	Accepted	Invention	
45	6	11.3	39.49	50.0	5.0	2.2	3	3	3	[[2]] 4	[[1]] 3	Accepted Rejected	Invention Comparative Example	
46	6	11.3	39.49	50.3	5.0	3.6	4	4	3	[[2]] 4	[[2]] 5	Accepted Rejected	Invention Comparative Example	
47	6	11.3	39.49	50.2	5.0	5.9	4	5	4	5	5	Accepted	Invention	
48	6	11.3	39.49	49.8	5.0	10.0	5	5	4	5	5	Accepted	Invention	
49	6	11.3	39.49	49.8	5.0	39.5	5	5	5	5	5	Accepted	Invention	
50	6	11.3	39.49	50.1	5.0	54.7	3	5	4	5	5	Accepted	Invention	
51	6	11.3	39.49	50.0	5.1	[[105.0]] 100.4	3	5	2	5	5	Accepted	Invention Comparative Example	



Please delete Table 16 on page 62 and replace with the following replacement table:

Table 16

No.	Steel		Paint film					Evaluation results of corrosion-resistance, etc.							Remarks
	No. in Table 13	Pitting index (Cr+3.3 Mo)	Left side in Expression 1 {70-2.7x (Cr+3.3Mo)}	Zn Content (% by mass)	Zn average particle diameter (μm)	Average dry film thickness (μm)	Erichsen	Cross-shaped cut	Gravel	Gap (plastic)	IEI (%)	r value	Gasoline corrosion test	Overall evaluation	
34	9	5.8	54.34	0	-	19.5	1	1	1	1	38.5	1.61	Poor	Rejected	Comparative Example
35	9	5.8	54.34	19.8	2.5	20.0	1	1	1	1	38.5	1.61	Poor	Rejected	Comparative Example
36	9	5.8	54.34	39.8	2.5	20.1	4	4	1	2	38.5	1.61	Poor	Rejected	Comparative Example
37	9	5.8	54.34	60.3	2.5	20.2	5	5	2	4	38.5	1.61	Poor	Rejected	Comparative Example
38	9	5.8	54.34	79.9	2.5	20.3	3	2	1	4	38.5	1.61	Poor	Rejected	Comparative Example
39	7	11.0	40.30	50.0	0.8	19.6	3	2	2	4	31.3	1.55	Poor	Rejected	Comparative Example
40	7	11.0	40.30	50.0	1.2	20.3	3	2	2	4	31.3	1.55	Poor	Rejected	Comparative Example
41	7	11.0	40.30	49.9	2.0	20.0	3	2	2	4	31.3	1.55	Poor	Rejected	Comparative Example
42	7	11.0	40.30	49.6	2.7	20.4	3	2	2	4	31.3	1.55	Poor	Rejected	Comparative Example
43	7	11.0	40.30	49.5	3.2	19.6	3	2	2	4	31.3	1.55	Poor	Rejected	Comparative Example
44	7	11.0	40.30	49.6	4.9	19.8	3	2	1	4	31.3	1.55	Poor	Rejected	Comparative Example
45	6	11.3	39.49	50.0	5.0	2.2	3	3	3	[[2]] 4	35.7	1.83	OK	Accepted Rejected	Invention Comparative Example
46	6	11.3	39.49	50.3	5.0	3.6	4	4	3	[[2]] 4	35.7	1.83	OK	Accepted Rejected	Invention Comparative Example
47	6	11.3	39.49	50.2	5.0	5.9	4	5	4	5	35.7	1.83	OK	Accepted	Invention
48	6	11.3	39.49	49.8	5.0	10.0	5	5	4	5	35.7	1.83	OK	Accepted	Invention
49	6	11.3	39.49	49.8	5.0	39.5	5	5	5	5	35.7	1.83	OK	Accepted	Invention
50	6	11.3	39.49	50.1	5.0	54.7	3	5	4	5	35.7	1.83	OK	Accepted	Invention
51	6	11.3	39.49	50.0	5.1	[[105.0]] 100.4	3	5	2	5	35.7	1.83	OK	Accepted Rejected	Invention Comparative Example